## LIST OF PENDING CLAIMS

- 1. (Cancelled)
- 2. (Previously presented) A photoresponsive fragrance composition comprising:
- (a) a compound having the formula

$$R^2$$
 $R^3$ 
 $R^6$ 
 $R^6$ 
 $R^7$ 
 $R^{10}$ 
 $R^{10}$ 

wherein

R<sub>1</sub> is substituted ester (--OC(O)R<sub>12</sub>), substituted phosphate (--OP(O)(OR<sub>19</sub>)(OR<sub>20</sub>), substituted thiol (--S-R<sub>12</sub>), substituted amine (--NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule;

R<sub>2</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>3</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>4</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

 $R_5$  is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>6</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>7</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

 $R_8$  is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

 $R_9$  is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>10</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>11</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

 $R_{12}$ , is a fragrance or molecule that imparts a fragrance;

 $R_{19}$  is a hydrogen and  $R_{20}$  is a fragrance or molecule that imparts a fragrance

 $R_{19}$  is a fragrance or molecule that imparts a fragrance and  $R_{20}$  is a hydrogen

wherein at least one of R<sub>2</sub> or R<sub>6</sub> is hydrogen;

wherein at least one of R2, R3, R4, R5, or R6 is hydroxy or substituted alkoxy; and

- (B) a carrier for topical administration to skin or hair or direct administration to articles of clothing and other textiles or via a washing or spraying method.
- 3. (Withdrawn) A photoresponsive fragrance composition comprising:
- (A) a sunlight absorbing compound having the formula

$$R^3$$
 $R^4$ 
 $R^5$ 
 $R^{11}$ 
 $R^{10}$ 
 $R^9$ 

 $R_2$  is hydrogen, hydroxy ( $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $R_3$  is hydrogen, hydroxy, ( $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $R_4$  is hydrogen, hydroxy, ( $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $R_5$  is hydrogen, hydroxy, ( $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $C_{1-20}$ )alkyl, ( $C_{5-12}$ ) aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy;  $C_{1-20}$ )alkoxy;  $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy; wherein at least one of  $C_{1-20}$ )alkyl, ( $C_{5-12}$ )aryl, ( $C_{1-20}$ )alkoxy or substituted ( $C_{1-20}$ )alkoxy; wherein at least one of  $C_{1-20}$ 0 alkoxy; is hydroxy or substituted ( $C_{1-20}$ 0)alkoxy;

- (B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.
- (C) a fragrance or fragrance molecule
- 4. (Previously presented) A composition useful for releasing fragrances of a desired scent comprising:
- (A) a compound having the formula

$$R^{2}$$
 $R^{3}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{10}$ 
 $R^{10}$ 

R<sub>1</sub> is substituted ester (--OC(O)R<sub>12</sub>), substituted phosphate (--OP(O)(OR<sub>19</sub>)(OR<sub>20</sub>), substituted thiol (--S-R<sub>12</sub>), substituted amine (--NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule

R<sub>2</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>3</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>4</sub> is hydrogen, hydroxy alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>5</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>6</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>7</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>8</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>9</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>10</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>11</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

 $R_{12}$  is a fragrance or fragrance molecule;

R<sub>19</sub> is hydrogen or a fragrance molecule; and

R<sub>20</sub> is hydrogen or a fragrance molecule

wherein at least one of  $R_2$  or  $R_6$  is hydrogen;

wherein at least one of R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub> or R<sub>6</sub> is hydroxy or substituted alkoxy; and

- (B) a carrier for topical administration to skin or hair or direct administration to articles of clothing and other textiles or via washing or spraying.
- 5. (Original) The composition according to claim 4 further comprising an auxiliary fragrance agent having a different fragrance than the photoreleased fragrance.

- 6. (Original) The composition according to claim 4 further comprising a photo rearranged product having a desirable fragrance.
- 7. (Withdrawn) A composition useful for releasing a desirable fragrance comprising:
- (A) an sunlight absorbing compound having the formula

$$R^3$$
 $R^4$ 
 $R^5$ 
 $R^{11}$ 
 $R^{10}$ 
 $R^9$ 

 $R_2$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_3$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_4$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_5$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_7$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_8$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_9$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_{10}$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_{11}$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy; wherein at least one of  $R_2$ ,  $R_3$ ,  $R_4$ , or  $R_5$  is hydroxy or substituted  $(C_{1-20})$ alkoxy and

- (B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.
- 8. (Withdrawn) The composition according to claim 7 wherein  $R_2$  is hydrogen;  $R_3$  is hydrogen,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;  $R_4$  is hydrogen;  $R_5$  is  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;  $R_7$  is hydrogen;  $R_8$  is hydrogen;  $R_9$  is hydrogen;  $R_{10}$  is hydrogen; and  $R_{11}$  is hydrogen.
- 9. (Withdrawn) The composition according to claim 7 further comprising an auxiliary fragrance agent having a different fragrance than compound (A).

10. (Previously presented) A photoresponsive fragrance composition comprising:(A) a compound having the formula

$$R^{2}$$
 $R^{1}$ 
 $R^{3}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{8}$ 
 $R^{9}$ 

wherein

R<sub>1</sub> is substituted ester (--OC(O)R<sub>12</sub>), substituted phosphate (--OP(O)(OR<sub>19</sub>)(OR<sub>20</sub>), substituted thiol (--S-R<sub>12</sub>), substituted amine (--NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule.;

 $R_2$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_3$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_4$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_5$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_6$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_7$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_8 \ is \ hydrogen, \ (C_{1\text{--}20}) alkyl, \ (C_{5\text{--}12}) aryl, \ (C_{1\text{--}20}) alkoxy \ or \ substituted \ (C_{1\text{--}20}) alkoxy;$ 

 $R_9$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_{10}$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_{11}$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

R<sub>12</sub>, is a fragrance or molecule that imparts a fragrance

R<sub>19</sub> is hydrogen or a fragrance molecule

R<sub>20</sub> is hydrogen or a fragrance molecule

wherein at least one of R<sub>2</sub> or R<sub>6</sub> is hydrogen;

wherein at least one of R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, or R<sub>6</sub> is hydroxy or substituted (C<sub>1-20</sub>)alkoxy; and

(B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.

- 11. (Previously presented) A composition useful releasing a desired fragrance comprising:
- (A) a compound having the formula

$$R^{2}$$
 $R^{3}$ 
 $R^{4}$ 
 $R^{5}$ 
 $R^{8}$ 
 $R^{9}$ 

R<sub>1</sub> is substituted ester (--OC(O)R<sub>12</sub>), substituted phosphate (--OP(O)(OR<sub>19</sub>)(OR<sub>20</sub>), substituted thiol (--S-R<sub>12</sub>), substituted amine (--NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule.;

 $R_2$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

 $R_3$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

 $R_4$  is hydrogen, hydroxy,  $(C_{1-20})$  alkyl,  $(C_{5-12})$  aryl,  $(C_{1-20})$  alkoxy, or substituted  $(C_{1-20})$  alkoxy;

 $R_5$  is hydrogen, hydroxy,  $(C_{1-20})$  alkyl,  $(C_{5-12})$  aryl,  $(C_{1-20})$  alkoxy, or substituted  $(C_{1-20})$  alkoxy;

 $R_6$  is hydrogen, hydroxy,  $(C_{1-20})$  alkyl,  $(C_{5-12})$  aryl,  $(C_{1-20})$  alkoxy, or substituted  $(C_{1-20})$  alkoxy;

 $R_7$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

 $R_8$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

 $R_9$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

 $R_{10}$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

 $R_{11}$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

R<sub>12</sub> is a fragrance or a molecule that imparts a fragrance

R<sub>19</sub> is hydrogen or a fragrance molecule

R<sub>20</sub> is hydrogen or a fragrance molecule

wherein at least one of R<sub>2</sub> or R<sub>6</sub> is hydrogen;

wherein at least one of R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub> or R<sub>6</sub> is hydroxy or substituted (C<sub>1-20</sub>)alkoxy; and

- (B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.
- 12. (Original) A photoresponsive fragrance comprising:
- (A) a compound having the formula

$$R^{2}$$
 $R^{3}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{8}$ 
 $R^{9}$ 

R<sub>1</sub> is a fragrance molecule;

R<sub>2</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>3</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>4</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>5</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>6</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>7</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>8</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>9</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>10</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>11</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

wherein at least one of  $R_2$  or  $R_6$  is hydrogen;

wherein at least one of R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, or R<sub>6</sub> is hydroxy or substituted alkoxy; and

- (B) a carrier for topical administration or direct administration to article of clothing and other textiles or via routine washing.
- 13. (Withdrawn) A method of controlling the release of a fragrance by incorporating
- the compositions of any one of claims 1 to 12 into clothing or textiles by spraying the composition onto the clothing or textiles or washing the clothing or textiles in a solution of the composition.
- 14. (Withdrawn) A method according to claim 13, wherein the composition is sprayed onto the clothing or textiles.
- 15. (Withdrawn) A method according to claim 13, wherein the composition is incorporated into the clothing or textiles via washing.

- 16. (Previously presented) A composition according to any one of claims 2, 4, 5, or 6, wherein the composition is formulated for spraying onto the skin.
- 17. (Previously presented) A composition according to any one of claims 2, 4, 5, or 6, wherein the composition is formulated for rubbing onto the skin.
- 18. (Withdrawn) A method of controlling the release of a fragrance by applying the compositions of any one of claims 1 to 12 onto the skin or hair of a mammal.
- 19. (Withdrawn) A method according to claim 16, wherein the mammal is a human.
- 20. (Withdrawn) A method according to claim 16, wherein the mammal is a companion animal.
- 21. (Previously presented) A composition according to any one of claims 2, 4, 5, 6, 10, 11, or 12, wherein the compound is of the formula:

$$R^3$$
 $R^5$ 

- 22. (Previously presented) A composition according to claim 21, wherein the composition is formulated for spraying onto the skin.
- 23. (Previously presented) A composition according to claim 21, wherein the composition is formulated for rubbing onto the skin.